



FACT SHEET

BIOCONTROL OF COMMON GRAPEVINE INSECT PESTS: GRAPEVINE SCALE

By Dr Mary Retallack, Retallack Viticulture Pty Ltd



FINDING THE BALANCE... NATURALLY!

Healthy and diverse populations of predatory arthropods (insects and spiders) and parasitoids (wasps and flies) can help prevent grapevine pests from reaching economically damaging thresholds.

Growers can support healthy predator populations by providing a habitat that provides food, shelter and alternative prey/hosts and minimise the use of pesticides that are toxic to natural enemies.

Biocontrol options for common Australian grapevine pests are explored in this series of fact sheets. For a broader discussion about functional biodiversity please see the [EcoVineyards best practice management guide on functional biodiversity in Australian vineyards](#) and to read the other fact sheets in this series please visit the EcoVineyards [knowledge hub](#).

FAMILY COCCIDAE

Parthenolecanium persicae, grapevine scale

DESCRIPTION: Grapevine scale is the most prevalent species of scale insect found in vineyards, and *Parthenolecanium pruinosum*, frosted scale, is also found on some sites. Their life cycles are very similar, and control methods are the same.

Indirect damage is caused by scale insects when the secreted honeydew is colonised by microorganisms and results in sooty mould. Scale insects are sap sucking bugs and can also transmit grapevine viruses. The presence of sooty mould can result in the downgrade of fruit quality. Ants feed on the honeydew and help protect the scale insects from attack by predatory arthropods.

DISTINCTIVE FEATURES: Grapevine scale is a small, oval-shaped, sucking insect up to 6 mm long that lives beneath a protective dark brown wax cover. Grapevine scale produces pink eggs (compared to frosted scale that produces cream-coloured eggs).



Figure 1. Examples of grapevine scale [Photos: Mary Retallack].

BREEDING CYCLE: There is one generation of soft scales per year.

WHEN TO MONITOR: Check underneath bark on spurs, canes and cordons during winter, and again during late spring and summer when mature scales deposit hundreds of eggs under their bodies and then die.

Scale insects are difficult to detect at low densities, but the presence of ants is often a good indicator that they are present. The presence of sooty mould also indicates the possible presence of scales and/or mealybugs.

SUGGESTED ACTION THRESHOLDS: Once an infestation is found, mark the area in case future action is required. If sooty mould has caused economic loss in the previous season, then intervention may be warranted the following season.

Biocontrol options

PARASITOID WASPS: *Metaphycus maculipennis* is a common parasitoid of grapevine scale *Parthenolecanium persicae* (Rakimov et al., 2015), as well as *Cheiloneurus* ssp. and *Coccophagus lymnia* (Thomson and Hoffman, 2006).

PREDATORY ARTHROPODS: Predators such as ladybird beetles (*Rhyzobius pulchellus*, *Rhyzobius forestrii*, *Cryptolaemus montrouzieri*, *Coccinella transversalis*, *Hippodamia variegata*), predatory moths (*Mataeomera dubia* and *Stathmopoda melanochra*), carabid beetles, soft-winged flower beetles, and lacewings all contribute to the control of grapevine scale (Rakimov et al., 2015).

The predatory mite *Anystis baccharum* is a predator of the eggs and crawlers of soft scales (Bernard et al., 2004; Winter et al., 2018). Green lacewings and ladybird beetles are available for release commercially.




Figure 2. (a) Adult mealybug destroyer, *Cryptolaemus montrouzieri* [Photo: David Madge], (b) transverse ladybird beetle, *Coccinella transversalis*, (c) spotted amber ladybird beetle, *Hippodamia variegata*, (d) and green lacewing adult [Photos: Mary Retallack].

FURTHER READING

For more information about scale insects found in vineyards see the Wine Australia website page on [grapevine scale and sooty mould](#) and AWRI website page on [scale insects](#).

For more information on natural enemies, please see [natural predators of vineyards insect pests booklet](#) and associated [articles](#) and [fact sheets](#) on the [EcoVineyards knowledge hub](#).

REFERENCES

- Bernard M.B., Horne P.A., Hoffmann A.A. (2004) Developing an ecotoxicological testing standard for predatory mites in Australia: Acute and sublethal effects of fungicides on *Euseius victoriensis* and *Galendromus occidentalis* (Acarina : Phytoseiidae). *Journal of Economic Entomology* 97:891-899. DOI: 10.1603/0022-0493(2004)097[0891:Daetsf]2.0.Co;2.
- Rakimov A., Hoffmann A.A., Malipatil M.B. (2015) Natural enemies of soft scale insects (Hemiptera: Coccoidea: Coccidae) in Australian vineyards. *Australian Journal of Grape and Wine Research* 21:302-310. DOI: 10.1111/ajgw.12134.
- Thomson L.J., Hoffman A.A. (2006) Integrated strategies and bioindicators for sustainable grape production in Australia, in: D. Pimentel (Ed.), *Encyclopaedia of pest management*, Marcel Dekker, New York.
- Winter S., Bauer T., Strauss P., Kratschmer S., Paredes D., Popescu D., Landa B., Guzman G., Gomez J.A., Guernion M., Zaller J.G., Batary P. (2018) Effects of vegetation management intensity on biodiversity and ecosystem services in vineyards: A meta-analysis. *Journal of Applied Ecology* 55:2484-2495. DOI: 10.1111/1365-2664.13124.

Disclaimer

The information contained in this EcoVineyards fact sheet is provided for information purposes only. Wine Australia and Retallack Viticulture Pty Ltd give no representations or warranties in relation to the content of the fact sheet including without limitation that it is without error or is appropriate for any particular purpose. No person should act in reliance on the content of this fact sheet without first obtaining specific, independent professional advice having regard to their site(s). Wine Australia and Retallack Viticulture Pty Ltd accept no liability for any direct or indirect loss or damage of any nature suffered or incurred in reliance on the content of the fact sheet.

For more information about the National EcoVineyards Program please visit www.ecovineyards.com.au @EcoVineyards

© Retallack Viticulture Pty Ltd, 2024



PROGRAM PARTNERS



REGIONAL PARTNERS



MARGARET RIVER WINE



The National EcoVineyards Program is funded by Wine Australia with levies from Australia's grape growers and winemakers and matching funds from the Australian Government.

ACKNOWLEDGEMENT OF COUNTRY

EcoVineyards proudly acknowledges the Aboriginal and Torres Strait Islander Peoples, and their ongoing cultural and spiritual connection to this ancient land on which we work and live.

As the Traditional Custodians of this land, we recognise their wealth of ecological knowledge and the importance of caring for Country.

We pay our respects to elders past and present and extend this respect to all Aboriginal and Torres Strait Islander Peoples.



